

MinIO

Documentation related to the MinIO S3-compatible Object Storage Server

- CLI
 - CLI Installation
 - Server Authentication
 - Create Bucket
 - Create User
 - Create/Assign Access Policy

CLI

CLI

CLI Installation

1. Download Binary

```
curl https://dl.min.io/client/mc/release/linux-amd64/mc \  
  --create-dirs \  
  -o $HOME/minio-binaries/mc
```

2. Make Binary Executable

```
chmod +x $HOME/minio-binaries/mc
```

3. Add Binary to Path

```
export PATH=$PATH:$HOME/minio-binaries/
```

CLI

Server Authentication

To use the MinIO CLI `mc`, you need to setup a Connection to a S3 Server

```
mc alias set <name> http://localhost:9000 <user> <password>
```

CLI

Create Bucket

Make sure [Server Authentication](#) is setup!

```
mc mb <name>/<bucket-name>
```

CLI

Create User

Make sure [Server Authentication](#) is setup!

```
mc admin user add <name> <username> <password>
```

Create/Assign Access Policy

For a User to access a Bucket, you'll need to create a Access Policy that defines Permissions

These are defined in `json`

Example Definition File

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "s3:GetBucketLocation",
        "s3:ListBucket"
      ],
      "Effect": "Allow",
      "Resource": "arn:aws:s3:::<bucket-name>"
    },
    {
      "Action": [
        "s3:GetObject",
        "s3:PutObject",
        "s3:DeleteObject"
      ],
      "Effect": "Allow",
      "Resource": "arn:aws:s3:::<bucket-name>/*"
    }
  ]
}
```

What this File does:

```
{
  "Action": [
    "s3:GetBucketLocation",
```

```
"s3:ListBucket"
],
"Effect": "Allow",
"Resource": "arn:aws:s3:::<bucket-name>"
},
```

- Allows Listing and Location Info for Bucket `arn:aws:s3:::<bucket-name>`

```
{
  "Action": [
    "s3:GetObject",
    "s3:PutObject",
    "s3:DeleteObject"
  ],
  "Effect": "Allow",
  "Resource": "arn:aws:s3:::<bucket-name>/*"
}
```

- Allows Get (Read), Put (Upload) and Delete (Guess?) Permissions on Bucket `arn:aws:s3:::<bucket-name>` and to all Subdirectories `/*`

Creating a Policy

```
mc admin policy create <name> <policy-name> <path-to-policy-json-file>
```

Applying a Policy

```
mc admin policy attach <name> <policy-name> user=<username>
```